



TITLE:

Kimura and Yanabu Laboratories. Research Laboratory of Nuclear Science (Special Issue on the Commemoration of the Fortieth Anniversary)

AUTHOR(S):

CITATION:

Kimura and Yanabu Laboratories. Research Laboratory of Nuclear Science (Special Issue on the Commemoration of the Fortieth Anniversary). Bulletin of the Institute for Chemical Research, Kyoto University 1967, 44(6): 451-460

ISSUE DATE:

1967-02-25

URL:

<http://hdl.handle.net/2433/76178>

RIGHT:

KIMURA LABORATORY (June 1950~March 1966)

Head: Dr. Kiichi Kimura

YANABU LABORATORY (February 1966~)

Head: Dr. Takuji Yanabu

and

RESEARCH LABORATORY OF NUCLEAR SCIENCE

Head: Dr. Sango Kunichika

Laboratories of Nuclear Science and Nuclear Reaction are successors to K. Kimura Laboratory, whose history until 1951 is described in this Bulletin¹⁾. Today the above two laboratories are working in close co-operation and their activities are not separable, so that the histories of the two laboratories are described here as a whole.

In 1951, when the Commemoration Volume of the Silver Jubilee¹⁾ was published, the activities of K. Kimura laboratory covered a very wide range of pure and applied physics. The items of researches were: interaction of photons with matter, interaction of neutrons with matter, isotope production, natures of beta rays, instrumentation for radiation detection, interaction of charged particles with bulk material, nature of cosmic rays, system of high speed rotation of a magnetically suspended rod, application of photo-elasticity, properties of clay-water system, band structure of semi-conductors, high vacuum technique, ion sources for accelerators, electron linear accelerator and automatic measurement and selection of roller pins.

These fifteen items were investigated at the campus of the Department of Physics under the cooperation with staff members of the Department of Physics, Faculty of General Education and those of the Kyoto Prefectural University. Since 1952, when the construction of a fixed frequency cyclotron started, these investigations began to be transferred to the members other than the proper staff of the Institute for Chemical Research. The matter went as follows.

1) Photo-nuclear reactions such as $(\gamma, 3\alpha)$ reaction, (γ, p) reaction, (γ, n) reaction and the inverse process (p, γ) reaction were investigated mainly by the staff of the Department of Physics since 1952 and developed into the investigation of high energy photo-pion reaction using an electron synchrotron of the Institute for Nuclear Study, University of Tokyo.

2) Neutron induced reactions such as (n, α) reaction, (n, p) reaction and (n, γ) reaction were investigated by the members of the Institute up to 1952, and then these problems were studied by the members of the Department of Physics. The study of the neutron induced reaction was then replaced by that of the charged particle reaction

such as (p, α) reaction using an energy variable cyclotron of the Institute for Nuclear Study, University of Tokyo.

3) Isotope production study using a neutron beam from the Cockroft-Walton type accelerator still continued until 1956 and then transferred to the project of the Laboratory of Nuclear Science.

4) Back scattering of electrons and positrons from radioactive isotopes were investigated until 1954 and some mechanisms of the backward scattering were clarified. Multiple scattering of electrons or positrons by the atomic electrons was essential. Back scattering of gamma rays from radioactive isotopes was also investigated since 1956 and developed into the study of the radiation shielding.

5) End window type Geiger counters, gas flow type proportional counters, scintillation counters, scaling circuits, counting rate meter and other equipments for nuclear physics were developed until 1953. Then these studies were transferred gradually to production factories in Kansai district.

6) Energy loss of alpha particles in bulk material was investigated by the members of the Laboratory until 1952 and this investigation was stopped until 1965 when the alphas particles of 30 MeV became available.

7) Cosmic ray studies were abandoned since 1952 because the staff members in charge all changed their post.

8) Study of the high speed rotation was completed in 1952. This research aimed at the separation of stable isotopes in a strong centrifugal force field, but since the social need was not pressing at that time, and moreover, the construction of a cyclotron needed full power of the Laboratory, the investigation had to be stopped at its fundamental stage.

9) Mechanical properties such as friction phenomena, stress-strain distribution in a press fitted structure were studied by the use of photo-elasticity. Photo-elastic properties of gelatin-jelly were also investigated. These researches completed in 1952. The elasto-electricity of a human bone was also found and has been investigated by the staff of the Department of Medicine, Kyoto Prefectural University.

10) Electric property of clay-water system was investigated until 1951, and no advance was made since 1952. However, the research contributed to the establishment of Japan Industrial Standard of lead pencils.

11) Researches in the field of semi-conductor physics were abandoned since 1951 because the staff in charge changed his post.

12) High vacuum technique has been continuously developed in the Laboratory. An oil diffusion pump with a long divergent nozzle was constructed and the design principle was applied to the big oil diffusion pump for the cyclotron evacuation.

13) To increase the beam intensity of the Cockroft-Walton type accelerator, the ion sources of various types were developed and their properties were investigated. Since 1952, these investigations were carried out by the members of the Department of Physics. Ion sources for the cyclotron were developed in the Laboratory since 1952.

14) Construction of a small betatron was tried from 1951 to 1952. Since this

year, the project was transferred to Konan University. The construction of an electron linear accelerator, described in the Commemoration Volume, was carried at Hyogo University of Agriculture since 1951.

15) The design and construction of an automatic selection device was completed in 1951.

In a word, as the researches in the field of nuclear physics were prohibited by the Supreme Commander of Occupation Forces in some period after the World War II, activities of the laboratory were compelled to turn to other fields, resulting some confusion in the course of the laboratory. The period from 1950 to 1953 may be called the era of re-arrangement of the laboratory, and in 1952, when the construction of a cyclotron started, an epoch was marked and then quite a new history has began.

The specifications, design and performance of the Kyoto University Cyclotron is described in an article in this Bulletin²⁾.

The design study was performed in 1952 and the construction completed in the end of 1955. The cyclotron laboratory was installed in an old brick building two kilometers apart from the University main campus, and researches of K. Kimura Laboratory has been done in this site since 1955.

From 1955 to 1960, main effort was made to construct the research instrumentations and radiation shielding walls and to revise some difficulties of the cyclotron found in the operation. In 1960, final form of the laboratory took shape and research works in the field of nuclear physics, nuclear chemistry and radiation biology have been commenced since then. In 1964, Laboratory of Nuclear Science was founded and separated from K. Kimura laboratory, but in reality, up to now, the Laboratory of Nuclear Science and the Laboratory of Nuclear Reaction are in a close co-operation.

As research works done in the cyclotron laboratory are reviewed in the recently published Decennial Report³⁾, here the contents of the Report are introduced briefly.

The Kyoto University Cyclotron is one of the middle class cyclotron and can accelerate protons to 7.5 MeV, deuterons to 15 MeV and alpha particles to 30 MeV. Research works done by the use of this cyclotron may be classified as follows.

1) Level structure and the excitation mechanism of light and medium weight nuclei.

By the method of inelastic scattering of protons, deuterons and alpha particles, the level structure and the excitation mechanism of nuclei from Li to Ni have been investigated.

The interests lie in such problems that collective mode of nuclear excitation appear or not in these nuclei as well as in heavy nuclei. The DWBA analyses of the elastic and inelastic scattering of alpha particles give good fit, but not so good for deuteron inelastic scattering. As a general rule, collective states are strongly excited independent of the incident particles. Efforts have recently been made to find non-collective state excitation such as unnatural parity states, excited core states and spin flipped states.

2) Reaction mechanism of light nuclei.

(p, α), (d, α), (α , d) and (α , p) reactions on light nuclei have been investigated. The interests lie in the problem that these reactions occur via direct process or compound process. Level structure of the residual nucleus was also studied from the standpoint of nucleon transfer mechanism. Recently (d,p) reactions and (d,t) or (d, He^3) reactions have been studied to search the core-excitation of the residual nuclei.

3) Structure of light nuclei.

Structure of light nuclei from Li to Ne has been studied by the method of quasi-free alpha-alpha scattering, scattering of polarized protons, break up of deuterons, elastic scattering between few nucleon systems and so on. Alpha cluster structure of Be^9 was clarified.

4) Accelerator physics.

Acceleration of heavy ions such as carbon and nitrogen multi-valued ions by the cyclotron has been developed since 1964. Recently the acceleration of He^3 ions was also attempted.

5) Radio-chemical studies.

Cooperating with the members of the Engineering Research Institute and the Department of Chemistry, Osaka University, radio-chemical studies of the rare-earth elements started since 1965. Deuteron induced reaction is the present main subject.

6) Radiation biology

The nutrition mechanism was studied by using radio-active potassium and sodium produced by the cyclotron. Radiation injuries upon living bodies were also studied by the neutron irradiation.

7) Laboratory techniques.

High vacuum techniques and radiation detection techniques have been continuously developed by the members of the laboratories. Leak hunting method by using propane gas was established. Solid state detectors and accessory circuits have been widely used in the laboratory. Present effort is made on the fast circuitry development necessary for many particle correlation experiments.

In conclusion, since 1952, the efforts of the laboratory were concentrated to the construction of the Kyoto University Cyclotron, and then the interests of the members inclined to pure physics research rather than the application of nuclear physics to atomic power industries. This trend of the laboratory just coincides with the rise and fall of the atomic power industry in Japan, that is, the slowing down of the development of the atomic power industry in Japan brought us counterwise a chance to develop fundamental researches in nuclear science.

References

- 1) K. Kimura, Commemoration Volume for the Silver Jubilee. Institute for Chemical Research, Kyoto University 1951 p. 179.
- 2) K. Kimura et al., *Bull. Inst. Chem. Res., Kyoto University*, **39**, 368 (1961).
- 3) K. Kimura, *Bull. Inst. Chem. Res., Kyoto University*, **43**, 499 (1965).

Publications

(* indicates an article published in Japanese)

I. Nuclear Instruments and Methods

1. M. Sonoda and I. Kumabe, The β -Ray Counter of the Methane Flow Type, *Bull. Inst. Chem. Res., Kyoto Univ.* **24**, 63 (1951).
2. K. Kimura, T. Hayashi, F. Fukuzawa and Y. Ishizaki, On the Delayed Coincidence Circuits. (II), *Bull. Inst. Chem. Res., Kyoto Univ.*, **25**, 51 (1951).
3. K. Kimura, K. Nishikawa, T. Hayashi and Y. Ishizaki, An Experiment on the Discharge Mechanism of the Geiger-Muller Counter, *Bull. Inst. Chem. Res., Kyoto Univ.*, **25**, 52 (1951).
4. Y. Uemura, S. Shimizu and Y. Saji, On Some Properties of 2π -type G-M Counter. (III), *Bull. Inst. Chem. Res., Kyoto Univ.*, **25**, 52 (1951).
5. T. Yoshida and T. Yanabu, The Improved Counting Rate Meter, *Bull. Inst. Chem. Res., Kyoto Univ.*, **25**, 53 (1951).
6. S. Shimizu, H. Takekoshi and E. Nishimura, On the Scintillation Counter, *Bull. Inst. Chem. Res., Kyoto Univ.*, **25**, 54 (1951).
7. Y. Uemura, M. Sakisaka, Y. Ōno and S. Miyashiro, Study on the Philips Gauge, *Bull. Inst. Chem. Res., Kyoto Univ.*, **25**, 55 (1951).
8. Y. Uemura, M. Sakisaka, Y. Ōno and S. Miyashiro, Studies on the Evacuation of a Large System, *Bull. Inst. Chem. Res., Kyoto Univ.*, **25**, 55 (1951).
9. Y. Uemura, T. Yanabu and Y. Ōno, Studies on the Oil Diffusion Pump with a Long Divergent Nozzle. (I), *Bull. Inst. Chem. Res., Kyoto Univ.*, **26**, 44 (1951).*
10. K. Kimura, R. Ishiwari, K. Yuasa, S. Yamashita, K. Miyake and S. Kimura, On the Range-Energy Relation for Alpha-particles in Air, *Bull. Inst. Chem. Res., Kyoto Univ.*, **26**, 62 (1951).
11. K. Kimura, R. Ishiwari, K. Yuasa, S. Yamashita, K. Miyake and S. Kimura, Measurement of Ionic Mobility Using an Alpha-Ray Counter, *Bull. Inst. Chem. Res., Kyoto Univ.*, **27**, 51 (1951).
12. H. Takekoshi, K. Tsuruoka and S. Shimizu, The Construction of a Mass Spectrometer without the Use of Magnetic Field, *Bull. Inst. Chem. Res., Kyoto Univ.*, **27**, 52 (1951).
13. S. Shimizu and S. Okamoto, The Design of a New High Speed Scaling Circuit, *Bull. Inst. Chem. Res., Kyoto Univ.*, **27**, 54 (1951).
14. Y. Uemura, M. Sakisaka, Y. Ōno and S. Miyashiro, The Pumping Speed Ratio of H_2 to D_2 of Oil Diffusion Pump, *Bull. Inst. Chem. Res., Kyoto Univ.*, **27**, 54 (1951).
15. K. Kimura, M. Sakisaka and S. Miyashiro, A New Device of a Leak Detector, *Bull. Inst. Chem. Res., Kyoto Univ.*, **27**, 55 (1951).
16. K. Kimura, R. Ishiwari, K. Yuasa, S. Yamashita, K. Miyake and S. Kimura, On the Range-Energy Relation and Ionization Energy Relation for Alpha Particles in Air, *J. Phys. Soc. Japan*, **7**, 111 (1952).
17. K. Kimura, M. Sakisaka and S. Miyashiro, Accelerating Tube for Neutron Production, *Bull. Inst. Chem. Res., Kyoto Univ.*, **29**, 67 (1952).
18. K. Kimura, R. Ishiwari, M. Sakisaka, I. Kumabe, S. Yamashita and K. Miyake, The Intensity Distribution of Slow Neutrons in $KMnO_4$ Solutions, *Bull. Inst. Chem. Res., Kyoto Univ.*, **29**, 68 (1952).
19. Y. Uemura and M. Takai, Studies on the Oil Diffusion Pump with a Long Divergent Nozzle. (II), *Shinku-Gijutsu* **4** No. 3, (1) (1953).*
20. Y. Uemura and M. Takai, On the Pumping Speed of Oil Diffusion Pumps, *Kagaku (Tokyo)* **23**, 536 (1953).*
21. Y. Uemura, Emission Spectrometry as a Leak-Hunting Device, *Shinku-Gijutsu* **4**, 16 (1953).*
22. I. Kumabe, K. Tani and M. Sonoda, On the Ammonia Proportional Counter, *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 37 (1953).
23. T. Azuma, K. Tsumori and K. Kimura, A Coil Current Stabilizer, *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 39 (1953).
24. S. Shimizu, H. Takekoshi and E. Takekoshi, Efficiency of a Liquid Scintillation Counter, *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 41 (1953).
25. T. Yanabu and M. Sonoda, Trial Construction of the Small Betatron. (I) Pole Face Angle

- Determination for the Focusing Magnetic Field, *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 202 (1953).
26. M. Sonoda, H. Kubo and K. Sugiyama, On the Characteristics of the External Cathode Counter, *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 206 (1953).
 27. M. Sonoda and I. Kumabe, On the External Cathode Proportional Counter, *J. Phys. Soc. Japan* **9**, 877 (1954).
 28. S. Yasumi, K. Yuasa, Y. Oyama and M. Sakisaka, A Radio Frequency Ion Source. Some Characteristics with Magnetic Field, *Bull. Inst. Chem. Res., Kyoto Univ.*, **32**, 71 (1954).
 29. S. Yasumi, K. Yuasa, M. Sakisaka and Y. Oyama, A New Vacuum Disk Valve, *Bull. Inst. Chem. Res., Kyoto Univ.*, **32**, 73 (1954).
 30. S. Yasumi, K. Yuasa, M. Sakisaka and Y. Oyama, A New Vacuum Disk Valve, *Oyo-Butsuri (Tokyo)* **23**, 83 (1954).*
 31. S. Shimizu, A. Katase, E. Takekoshi, K. Takumi and E. Takekoshi, On the Short-Circuiting Condenser in Kyoto Cyclotron, *Bull. Inst. Chem. Res., Kyoto Univ.*, **32**, 214 (1954).
 32. H. Ikegami, J. Kokame and Y. Uemura, Theoretical Consideration for the Mechanism of the Probe Gas for High Vacuum Leak-Detection, *Bull. Inst. Chem. Res., Kyoto Univ.*, **32**, 216 (1954).
 33. Y. Uemura, J. Kokame and H. Ikegami, Release of Adsorbed Gasses from Metallic Surfaces in a Vacuum System, *Shinku-Gijutsu (Tokyo)* **5**, 199 (1954).*
 34. Y. Uemura, J. Kokame and H. Ikegami, Characteristic Behavior of Propane and Butane Gasses used as Leak Hunting Probes, *Shinku-Gijutsu (Tokyo)* **5**, 212 (1954).*
 35. Y. Uemura, Vacuum Techniques Applied to a 105 cm Cyclotron of Kyoto University, *Shinku-Kogyo (Tokyo)* **3**, 14 (1956).*
 36. Y. Uemura, J. Kokame and H. Ikegami, Evacuation of a Cyclotron of Kyoto University, *Shinku-Gijutsu (Tokyo)* **7**, 229 (1956).*
 37. J. Kokame and S. Yamashita, Electrostatic Deflection of a Cyclotron Ion Beam, *J. Phys. Soc. Japan* **11**, 332 (1956).
 38. R. Ishiwari, S. Yamashita, K. Yuasa and K. Miyake, On the Ionization-Energy Relation for Alpha Particles, *J. Phys. Soc. Japan* **11**, 337 (1956).
 39. R. Ishiwari and J. Kokame, A Thin Lens β -ray Spectrometer of I.C.R., Kyoto Univ., *Genshikaku Kenkyu* (circular in Japanese) **2**, 130 (1957).*
 40. K. Kimura, J. Kokame and S. Yamashita, Observation of the Deflected Ion Beam Trajectory from a Cyclotron, *Rev. Sci. Inst.* **29**, 142 (1958).
 41. Y. Uemura and J. Kokame, Experimental Studies on the Air Test Method for Leak Detection, *Shinku (Tokyo)* **4**, 20 (1961).*
 42. Y. Uemura and H. Fujita, Measurements of the Substitution Sensitivity Factor to Propane and Helium Gases for the Leak Hunting, *Shinku (Tokyo)* **4**, 30 (1961).*
 43. K. Kimura, Y. Uemura, M. Sonoda, S. Shimizu, T. Yanabu, R. Ishiwari, J. Kokame, A. Katase, I. Kumabe, S. Yamashita, H. Takekoshi, K. Miyake, H. Ikegami and H. Fujita, A 105 cm Fixed Frequency Cyclotron of Kyoto University, *Bull. Inst. Chem. Res., Kyoto Univ.*, **39**, 368 (1961).
 44. J. Shimizu, K. Miyashita, M. Takada and Y. Sugawa, P-N Junction Semiconductor Radiation Detector, *Mitsubishi Denki LABORATORY REPORTS* **4**, 495 (1963).
 45. Y. Uemura, H. Fujita, S. Kakui, M. Sakisaka, F. Fukuzawa, M. Tomita, K. Yoshida, S. Okumura, N. Imanishi, K. Kobayashi, T. Takeuchi and T. Nakata, Fundamental Studies on Heavy Ion Reactions. (I), *Genshikaku Kenkyu* (circular in Japanese) **8**, 617 (1964).*
 46. Y. Uemura, H. Fujita, S. Kakui, M. Sakisaka, F. Fukuzawa, M. Tomita, K. Yoshida, S. Okumura, N. Imanishi, K. Kobayashi, T. Takeuchi and T. Nakata, Fundamental Studies on Heavy Ion Reactions. (II), *Genshikaku Kenkyu* (circular in Japanese) **9**, 363 (1964).*
 47. Y. Uemura, H. Fujita, T. Maruyama, M. Sakisaka, F. Fukuzawa, M. Tomita, K. Ogino, K. Yoshida, S. Okumura, N. Imanishi and T. Nakata, Fundamental Studies on Heavy Ion Reaction (III). Charge Changing Collisions of Carbon Ions, *Genshikaku Kenkyu* (circular in Japanese) **10**, 303 (1965).*
 48. N. Imanishi, M. Sakisaka, F. Fukuzawa and Y. Uemura, Medium Dependence of Charge Changing Collisions for 9.7 MeV Carbon Ions, *J. Phys. Soc. Japan* **20**, 2100 (1965).
 49. K. Hosono, R. Ishiwari and Y. Uemura, Energy Loss of Alpha Particles through Matter at

- 28 MeV, *Bull. Inst. Chem. Res., Kyoto Univ.*, **43**, 323 (1965).
50. S. Matsuki, S. Yamashita and K. Miyake, Time Resolution of a Transitorized Time-of-Flight System, *Bull. Inst. Chem. Res., Kyoto Univ.*, **43**, 330 (1965).
 51. T. Tanabe, J. Kokame and R. Ishiwari, Construction of a Thin Magnetic Lens Type Beta-Ray Spectrometer, *Bull. Inst. Chem. Res., Kyoto Univ.*, **43**, 315 (1965).

II. Nuclear Radiations

1. S. Shimizu, T. Hanai and S. Okamoto, The Absorption of γ -Rays from Co^{60} in Several Elements, *Bull. Inst. Chem. Res., Kyoto Univ.* **25**, 53 (1951).
2. M. Ishibashi, K. Kimura, S. Shimizu and Y. Kusaka, Chemical Studies of Radioactive Indicator. (XIII) Preparation of Radioactive Phosphorous (P^{32}) and Bromine (Br^{80} ; Br^{82}), *Bull. Inst. Chem. Res., Kyoto Univ.*, **26**, 36 (1951).*
3. K. Kimura, T. Hayashi, Y. Ishizaki, I. Kumabe and F. Fukuzawa, On the Half Life of ThC' , *Bull. Inst. Chem. Res., Kyoto Univ.*, **26**, 61 (1951).
4. T. Azuma, K. Tsumori and K. Kimura, γ -Spectrum of Co^{60} , *Bull. Inst. Chem. Res., Kyoto Univ.*, **26**, 63 (1951).
5. S. Shimizu, T. Hanai and S. Okamoto, The Absorption of Gamma-Rays from Co^{60} in Several Elements. (II), *Bull. Inst. Chem. Res., Kyoto Univ.*, **26**, 64 (1951).
6. S. Shimizu, H. Nakamura and I. Kumabe, On the Backscattering of β -Rays from C^{14} and P^{32} , *Bull. Inst. Chem. Res., Kyoto Univ.*, **26**, 65 (1951).
7. T. Yanabu, J. Muto and K. Nishimura, On the Positively Charged Particles Accompanying the β -Decay of P^{32} , *Bull. Inst. Chem. Res., Kyoto Univ.*, **27**, 49 (1951).
8. S. Shimizu, T. Hanai and S. Okamoto, The Absorption of Gamma-Rays from Co^{60} , *Phys. Rev.*, **85**, 290 (1952).
9. K. Kimura, T. Hayashi, Y. Ishizaki, I. Kumabe and K. Takumi, On the Half Life of ThC' . (II), *Bull. Inst. Chem. Res., Kyoto Univ.*, **29**, 65 (1952).
10. T. Azuma, K. Tsumori and K. Kimura, On the Energy Distribution of the Compton Electrons by Co^{60} - γ , *Bull. Inst. Chem. Res., Kyoto Univ.*, **29**, 68 (1952).
11. T. Azuma, H. Nakamura, I. Kumabe, K. Tsumori and S. Shimizu, On the Backscattering of the β -Rays of P^{32} , *Bull. Inst. Chem. Res., Kyoto Univ.*, **29**, 69 (1952).
12. S. Tanaka, Y. Sawada and T. Yamamoto, Studies on Cobalt Metabolism of *Bacillus subtilis* by Using Co^{60} , *Bull. Inst. Chem. Res., Kyoto Univ.*, **30**, 52 (1952).
13. T. Hayashi, Y. Ishizaki and I. Kumabe, The Half-Life of ThC' , *J. Phys. Soc. Japan* **8**, 110 (1953).
14. S. Shimizu, Y. Saji and M. Sakisaka, Absolute β -ray Counting. (I) On the Sensitive Volume of the Counter and the Geometrical Arrangement of the Sample, *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 35 (1953).
15. K. Kimura, Y. Saji, M. Sakisaka and K. Miyake, Absolute β -ray Counting. (II) Analysis of Specific Activities, *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 36 (1953).
16. T. Azuma, K. Tsumori and K. Kimura, The Probable Energy Loss of Electrons in Matter, *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 39 (1953).
17. K. Kimura, M. Sakisaka, S. Yamashita, K. Miyake and I. Kumabe, The Extraction of Some Radioisotopes: P^{32} and I^{128} , *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 42 (1953).
18. T. Azuma, K. Tsumori and S. Shimizu, On the Backscattering of the Electrons from Co^{60} and Na^{22} , *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 201 (1953).
19. T. Azuma and K. Kimura, On the Beta-and Gamma-Spectrum of Cs^{137} , *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 204 (1953).
20. S. Nagayama, K. Tsumori and S. Shimizu, Radioactive Determination of Potassium in Plant Ashes, *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 207 (1953).
21. T. Azuma, K. Tsumori and K. Kimura, Beta- and Gamma-Ray Spectrum of Cs^{137} . (II), *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 415 (1953).
22. I. Kumabe and S. Shimizu, The Backscattering of Beta-Rays, *Bull. Inst. Chem. Res., Kyoto Univ.*, **32**, 183 (1954).
23. T. Hyodo and S. Shimizu, A Note on the Effect of the Absorber Position in the Measurement of Beta-Ray Absorption, *Bull. Inst. Chem. Res., Kyoto Univ.*, **32**, 194 (1954).

24. T. Azuma and K. Tsumori, Beta-Spectra of Ag^{110} and Sd^{124} , *Bull. Inst. Chem. Res., Kyoto Univ.*, **32**, 214 (1954).
25. T. Azuma and K. Tsumori, Efficiency of Geiger-Muller Counter, *Bull. Inst. Chem. Res., Kyoto Univ.*, **32**, 215 (1954).
26. T. Azuma, The Probable Energy Loss of Electrons in Matter, *Bull. Inst. Chem. Res., Kyoto Univ.*, **32**, 223 (1954).
27. M. Hanaoka, Y. Ichikawa and H. Fuji, Histological Studies on the Hematopoietic Organs of Mice Irradiated with High Doses of Neutrons (including Gamma Rays) from the Cyclotron, *Acta Haem. Japonica* **21**, 1 (1958).*
28. A. Okuda, Z. Kasai, H. Nakada, K. Asada and Y. Yamada, Studies on the Crop Nutrition, using Radioactive Potassium as a Tracer, *Memoirs of the Research Institute for Food Science, Kyoto University* **15**, 16 (1958).
29. T. Morii, Studies on the Biological Effects of Neutrons and Co^{60} γ -Rays in Mice. (I), Biological Effects of Neutrons in Mice, *Japanese Archives of Internal Medicine* **6**, 453 (1959).*
30. T. Morii, Studies on the Biological Effects of Neutrons and Co^{60} γ -Rays in Mice. (II), Biological Effects of Co^{60} γ -Rays in Mice, *Japanese Archives of Internal Medicine* **6**, 520 (1959).*
31. T. Morii, Studies on the Biological Effects of Neutrons and Co^{60} γ -Rays in Mice. (III), Modification of Radiation Injury in Mice, *Japanese Archives of Internal Medicine* **6**, 585 (1959).*
32. M. Hanaoka, Histological Studies on the Mice Irradiated with Neutron-Gamma-Ray. The Primary and Secondary Injuries in the Acute Radiation, *Symposia of the Society for Cellular Chemistry* **9**, 201 (1959).*
33. A. Okuda and Y. Yamada, Foliar Absorption of Nutrients (III), Comparison of Foliar Absorption with Root Absorption in Potassium Phosphate Double-labeled with K^{42} and P^{32} , *Soil Science and Plant Nutrition* **8**, 14 (1962).
34. M. Hanaoka, Injuries by Radiation, Especially by Neutrons on Blood and Hemato-poietic Organs, *Hdb. Hematology, ed. by Jap. Hematol. Soc.*, **3**, 541 (1964).*

III. Nuclear Reactions

1. K. Kimura, R. Ishiwari, K. Yuasa, S. Yamashita, K. Miyake and S. Kimura, The Nuclear Reaction of N^{14} with Low Energy Neutrons. (II), *Bull. Inst. Chem. Res., Kyoto Univ.*, **27**, 49 (1951).
2. Y. Uemura, M. Sonoda, Y. Saji, S. Yasumi, Y. Ishizaki and Y. Ono, The (γ, n) Reaction of Silver Produced by the Li-p γ -Rays, *Bull. Inst. Chem. Res., Kyoto Univ.*, **29**, 66 (1952).
3. K. Kimura, R. Ishiwari, K. Yuasa, S. Yamashita and K. Miyake, On the Nuclear Reaction of N^{14} by Low Energy Neutrons. (III), *Bull. Inst. Chem. Res., Kyoto Univ.*, **29**, 70 (1952).
4. K. Kimura, R. Ishiwari, M. Sakisaka, I. Kumabe, S. Yamashita and K. Miyake, On the Reaction of O^{16} by Fast Neutrons. (I), *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 204 (1953).
5. R. Ishiwari, Be^9 (p, p') Be^9 and B^{11} (p, p') B^{11} Reactions, *Genshikaku-Kenkyu* (circular in Japanese) **6**, 105 (1961).*
6. T. Yanabu, (d, α) Reaction, *Genshikaku-Kenkyu* (circular in Japanese) **6**, 165 (1961).*
7. J. Kokame, Inelastic Scattering of Protons from Several Light Odd-Even Nuclei in the Energy Range from 6.0 MeV to 7.5 MeV, *J. Phys. Soc. Japan* **16**, 2101 (1961).
8. T. Yanabu, (d, α) Reactions on O^{16} , N^{14} and C^{12} by 14.7 MeV Deuterons, *J. Phys. Soc. Japan* **16**, 2118 (1961).
9. S. Yamashita, Angular Distributions of Alpha-Particles from F^{19} , Al^{27} and P^{31} Bombarded with Protons, *J. Phys. Soc. Japan* **16**, 2378 (1961).
10. R. Ishiwari, Elastic and Inelastic Scattering of Protons by Be^9 in the Energy Region from 6.1 to 7.3 MeV, *Bull. Inst. Chem. Res., Kyoto Univ.*, **39**, 287 (1961).
11. K. Miyake, The Phase Shift Analysis on Alpha-Alpha Scattering in the Energy Range from 22.9 to 28.9 MeV, *Bull. Inst. Chem. Res., Kyoto Univ.*, **39**, 313 (1961).
12. T. Yanabu, S. Yamashita, T. Nakamura, K. Takamatsu, A. Masaike, S. Kakigi, D.C. Nguyen and K. Takimoto, O^{16} (d, α) N^{14} Reaction with Deuterons near 15 MeV, *J. Phys. Soc. Japan* **16**, 2594 (1961).
13. K. Kimura, Y. Uemura, R. Ishiwari, J. Kokame, K. Fukunaga, A. Katase, J. Muto, I. Kumabe, H. Ogata, T. Ohama and Y. Ohmori, Elastic Scattering of Protons from B^{11} , Al , P , Co and Cu

- from 6 to 7.4 MeV, *J. Phys. Soc. Japan* **17**, 9 (1962).
14. T. Nakamura, K. Takamatsu, A. Masaïke, S. Kakigi, D.C. Nguyen, S. Yamashita and T. Yanabu, Angular Distributions of the Alpha Particles from the (p, α) Reactions on Na^{23} and K^{39} at 6.9~7.3 MeV, *J. Phys. Soc. Japan* **17**, 19 (1962).
 15. T. Yanabu, S. Yamashita, T. Nakamura, K. Takamatsu, A. Masaïke, S. Kakigi, D.C. Nguyen and K. Takimoto, C^{12} and O^{16} (d, α) Reactions by 15~20 MeV deuterons, *Genshikaku Kenkyu* (circular in Japanese) **7**, 275 (1962).*
 16. K. Takamatsu, (d, α) Reactions on F^{19} , Ne^{20} , P^{31} and S^{32} at 14.7 MeV, *J. Phys. Soc. Japan* **17**, 896 (1962).
 17. T. Yanabu, S. Yamashita, T. Nakamura, K. Takamatsu, A. Masaïke, S. Kakigi, D.C. Nguyen and K. Takimoto, Al^{27} (d, α) Mg^{25} Reaction at 14.7 MeV, *J. Phys. Soc. Japan* **17**, 914 (1962).
 18. I. Kumabe, T. Komatsuzaki, S. Tomita, T. Yamaki and Y. Yamada, Protons from Several Elements Bomberded with 30-MeV Alpha Particles, *J. Phys. Soc. Japan* **17**, 1526 (1962).
 19. S. Yamashita, Experiments on (p, α) and (d, α) Reactions, *Genshikaku Kenkyu* (circular in Japanese) **7**, 629 (1963).*
 20. J. Kokame, Elastic and Inelastic Scattering of 6~14 MeV Protons from Several Light Odd-Nuclei, *Genshikaku Kenkyu* (circular in Japanese) **7**, 637 (1963).*
 21. T. Yanabu, S. Yamashita, T. Nakamura, K. Takamatsu, A. Masaïke, S. Kakigi, D.C. Nguyen and K. Takimoto, (d, α) Reactions on C^{12} and O^{16} with Deuterons in the Energy Range from 15 MeV to 20 MeV, *J. Phys. Soc. Japan* **18**, 742 (1963).
 22. S. Yamashita, The $(p, p'\alpha)$ Reaction, *Genshikaku Kenkyu* (circular in Japanese) **8**, 233 (1963).*
 23. J. Kokame, R. Ishiwari, K. Miyake, J. Muto, H. Itoh, T. Ohama, K. Ueda, S. Tahira and K. Baba, Scattering of Protons from Be^9 , B^{11} , Al^{27} and P^{31} in the Energy Range of 8~14 MeV, *Genshikaku Kenkyu* (circular in Japanese) **8**, 339 (1963).*
 24. J. Kokame, Direct- and Compound Nucleus-Process in the Inelastic Scattering of Protons from Light Odd Nuclei, *Genshikaku Kenkyu* (circular in Japanese) **8**, 604 (1964).*
 25. I. Kumabe, H. Ogata, M. Inoue, Y. Ôkuma and J. Muto, Elastic and Inelastic Scattering of 28.5 MeV Alpha Particles by Medium-Weight Nuclei, *J. Phys. Soc. Japan* **19**, 147 (1964).
 26. J. Kokame, K. Fukunaga, N. Inoue and H. Nakamura, Excitation of Unnatural-Parity States in (α, α') Scatterings on O^{16} , Ne^{20} , Mg^{24} and Si^{28} , *Physics Letters* **8**, 342 (1964).
 27. K. Takimoto, Quasi-Free Alpha-Alpha Collisions in Nuclei with 28 MeV Alpha Particles, *Genshikaku Kenkyu* (circular in Japanese) **9**, 297 (1964).*
 28. T. Yanabu, S. Yamashita, S. Kakigi, D.C. Nguyen, K. Takimoto, Y. Yamada and K. Ogino, Alpha Emitting Reactions on Be^9 , B^{10} and B^{11} Induced by Protons, Deuterons and Alpha-Particles, *J. Phys. Soc. Japan* **19**, 1818 (1964).
 29. T. Yanabu, S. Yamashita, T. Nakamura, H. Ogata, S. Kakigi, D.C. Nguyen, K. Takimoto, K. Ogino, M. Inoue and Y. Ôkuma, Al and Ni $(p, p'\alpha)$ Reactions Induced by 55 MeV Protons, *Genshikaku Kenkyu* (circular in Japanese) **9**, 421 (1964).*
 30. K. Fukunaga, Elastic and Inelastic Scatterings of Polarized Protons from Be^9 and Al^{27} , *J. Phys. Soc. Japan* **20**, 1 (1965).
 31. J. Kokame, K. Fukunaga and H. Nakamura, The Excited Core Model of Light Nuclei in (α, α') Scattering, *Physics Letters* **14**, 234 (1965).
 32. J. Kokame and K. Fukunaga, Differential Cross Sections of (p, p) and (p, p') Scattering from Several Odd-A Nuclei in the Eneergy Range of 6 to 7.5 MeV, *Bull. Inst. Chem. Res., Kyoto Univ., Supplement*, p. 1 Feb. 1965.
 33. J. Kokame, K. Fukunaga, H. Nakamura and N. Inoue, Differential Cross Sections of (α, α) and (α, α') Scattering from B^{11} , C^{12} , C^{13} , O^{16} , Ne^{20} , Mg^{24} , Si^{28} and P^{31} , *Bull. Inst. Chem. Res., Kyoto Univ., Supplement*, p. 26 Feb. 1965.
 34. T. Yanabu, S. Yamashita, T. Nakamura, K. Takamatsu, A. Masaïke, S. Kakigi, D.C. Nguyen and K. Takimoto, Differential and Integral Cross Sections of the (p, α) and (d, α) Reactions on Some Light Nuclei, *Bull. Inst. Chem. Res., Kyoto Univ., Supplement*, p. 41 Feb. 1965.
 35. T. Yanabu, S. Yamashita, T. Nakamura, K. Takamatsu, A. Masaïke, S. Kakigi, D.C. Nguyen and K. Takimoto, Differential and Integral Cross Sections of the Reaction C^{12} (d, α) B^{10} and O^{16} (d, α) N^{14} in the Deuteron Energy Range from 15 MeV to 20 MeV, *Bull. Inst. Chem. Res., Kyoto Univ., Supplement*, p. 68 Feb. 1965.

36. J. Kokame, K. Fukunaga, H. Nakamura and N. Inoue, Elastic and Inelastic Scattering of 28.4 MeV Alpha-Particles from O^{16} , Ne^{20} , Mg^{24} and Si^{28} , *J. Phys. Soc. Japan* **20**, 475 (1965).
37. J. Kokame and K. Fukunaga, Estimation of Direct- and Compound-Nuclear Reaction Cross Sections in Al^{27} (p, p') Al^{27} in the Energy Range of 6.5 to 14 MeV, *J. Phys. Soc. Japan* **20**, 649 (1965).
38. R. Ishiwari, Ionization Yield of the N^{14} (n, p) C^{14} Reaction in Air, *J. Phys. Soc. Japan* **20**, 658 (1965).
39. T. Yanabu, S. Yamashita, K. Takimoto and K. Ogino, Quasi-Free Alpha-Alpha Collisions in Be^9 and C^{12} at 28 MeV, *J. Phys. Soc. Japan* **20**, 1303 (1965).
40. I. Kumabe, DWBA Analysis of Alpha Scattering, *Genshikaku Kenkyu* (circular in Japanese) **10**, 369 (1965).*
41. J. Kokame, The Excitation of 3^+ State of Mg^{24} by (α, α') Scattering. Analysis by Dr. Taro Tamura, *Genshikaku Kenkyu* (circular in Japanese) **10**, 425 (1965).*
42. S. Kakigi, (α, d) and (α, t) Reactions on Be^9 , F^{19} and Al^{27} at 28.6 MeV, *J. Phys. Soc. Japan* **20**, 1967 (1965).
43. K. Otozai, S. Kume, M. Koyama, T. Mitsuiji, T. Nishi and I. Fujiwara, Excitation Functions for the Reactions Induced by Deuterons on Ce^{142} up to 14.2 MeV, *Nuclear Phys.* **81**, 322 (1966).
44. I. Kumabe, H. Ogata, S. Tomita, M. Inoue and Y. Ohkuma, Elastic and Inelastic Scattering 28.4 MeV Alpha Particles by Sn, Cd, Ag, Cu and Ti, *J. Phys. Soc. Japan* **21**, 413 (1966).
45. J. Kokame, K. Fukunaga and H. Nakamura, On the 3^- State in ^{28}Si and ^{24}Mg , *Physics Letters* **20**, 672 (1966).
46. D. C. Nguyen, Elastic and Inelastic Scattering of Deuterons from Be^9 , C^{12} , N^{14} and O^{16} at 14 MeV, *J. Phys. Soc. Japan* **21**, 2462 (1966).
47. K. Fukunaga, H. Nakamura, T. Tanabe, K. Hosono and S. Matsuki, Continuous Energy Spectra of Protons and Alpha Particles Emitted by the Deuteron and Alpha Particle Reaction, *J. Phys. Soc. Japan* **22**, 28 (1967).

IV. Applied Physics

1. Y. Uemura, M. Takai and A. Yukawa, Study on the Roller Chain Link Plate by the Photo-elastic Method, *Bull. Inst. Chem. Res., Kyoto Univ.*, **25**, 56 (1951).
2. Y. Uemura and M. Takai, Measurement of the Coefficient of Friction by the Photoelastic Method. (II), *Bull. Inst. Chem. Res., Kyoto Univ.*, **27**, 50 (1951).
3. K. Kimura, A. Katase, J. Kokame and Y. Nawachi, On the Method of Measuring the Young's Modulus of the Little Metal Specimens (Rods), *Bull. Inst. Chem. Res., Kyoto Univ.*, **27**, 53 (1951).
4. J. Kokame and A. Katase, The Magnetic Suspension and its Mathematical Analysis, *Bull. Inst. Chem. Res., Kyoto Univ.*, **28**, 22 (1952).*
5. M. Takai, A. Yukawa and Y. Uemura, Study of the Press Fit Effect at the Roller Chain Link Plate by the Photo-elastic Method. (I), *Bull. Inst. Chem. Res., Kyoto Univ.*, **28**, 32 (1952).*
6. J. Kokame and A. Katase, High Speed Rotation, *Buturi (Tokyo)* **8**, 183 (1953).*
7. T. Naiki, T. Hanai and S. Shimizu, Measurement of Viscosity of Liquid Air, *Bull. Inst. Chem. Res., Kyoto Univ.*, **31**, 56 (1953).
8. K. Mitani, On the Build-up Mechanism of the Microwave Gas Breakdown, *Bull. Inst. Chem. Res., Kyoto Univ.*, **32**, 134 (1954).

V. Reviews

1. Y. Saji and R. Ishiwari, Measurements of Radioactive Rays, *Rajioaisotohpu (Tokyo)* **2**, 1 (1953).*
2. Y. Uemura, A. Fujinaga, M. Gotoh and M. Michishima, Lectures on Vacuum Techniques, *Shitsuryo-Bunseki* **11**, 100 (1958)*.
3. K. Miyake, A Survey of Recent Development of the Radiation Detector, *Genshikaku Kenkyu* (circular in Japanese) **8**, 33 (1963).*
4. K. Kimura, Keage Laboratory of Nuclear Science, Decennial Report 1955-1965, *Bull. Inst. Chem. Res., Kyoto Univ.*, **43**, 499 (1965).